

Self-Lubricating LSR

for Health Care Applications



Productivity & Performance for Molded Parts

Momentive's family of liquid silicone rubber materials (LSR) enable health care device designers and equipment manufacturers to introduce improved material features for critical applications such as needle-free access valves, o-rings, stoppers, seals and assembled parts. The Silopren® LSR 46X5 SL product family can provide enhanced lubricity for specialized applications requiring a high-slip surface not achievable via traditional silicone molded parts.

Key Features and Typical Benefits

- Biocompatibility: USP CLASS VI and ISO 10993 (parts 5, 6, 10, 11) compliant
- Longer lubricating life: longevity of molded parts & reduced self-healing of valve slits
- Delayed lubricant surface bloom: enables efficient part molding without mold fouling
- Higher slip surface - low coefficient of friction: enables automated assembly of devices
- Enhanced ability for molded parts to glide into mountings

Improving the mounting efficiency

Silopren LSR 46X5 SL series is a two-component, self-lubricating liquid silicone rubber for injection molding processes that provides a lubricious surface on the molded part after vulcanization.

Silopren LSR 46X5 SL series can eliminate the need for secondary lubrication processes to reduce the coefficient of friction, which can improve the mounting efficiency of molded parts during the assembly of devices. Delayed lubricant surface bloom after vulcanization helps prevent mold fouling while also improving the longevity of the molded parts and reducing the occurrence of self-healing of slit valves.

Typical Physical Properties

Typical Physical Properties of the Vulcanized Rubber:

Test results on molded slabs, (mix ratio A:B = 1:1)
Vulcanization conditions: 10 min. 175 °C

	Shore A	Tensile strength - psi & N/mm ²	Elongation at break(%)	Tear, die B (ppi)	Specific gravity	Comp. set 22hr @ 23°C (%)
Silopren* LSR 4625 SL	25	psi = 955, N/mm ² = 6.6	758	ppi = 139 N/mm = 24	1.09	3.9
Silopren LSR4635 SL	35	psi = 1060, N/mm ² = 7.3	627	ppi = 225, N/mm = 40	1.1	2.3
Silopren LSR 4645 SL	45	psi = 1163, N/mm ² = 8	517	ppi = 285, N/mm = 50	1.12	2.3
Silopren LSR 4655 SL	55	psi = 1160, N/mm ² = 8	450	ppi = 260, N/mm = 45	1.13	1.6
Silopren LSR 4665 SL	65	psi = 1316, N/mm ² = 9.1	412	ppi = 171, N/mm = 30	1.13	2.5

Typical physical properties are average data and are not to be used as or to develop specifications.



www.momentive.com

260 Hudson River Road,
Waterford, NY 12188 USA

Customer Service Centers

Email: commercial.services@momentive.com

Americas

+1 800 295 2392
+1 614 986 2495

Europe, Middle East, Africa and India

00800 4321 1000
+40 213 044229

Asia Pacific

China
800 820 0202
+86 21 3860 4892

Japan

0120 975 400
+81 276 20 6182

All Other Countries

+60 3 9206 1543

Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute the permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

Product Safety, Handling and Storage

Customers should review the latest Safety Data Sheet (SDS) and label for product safety information, safe handling instructions, personal protective equipment if necessary, emergency service contact information, and any special storage conditions required for safety. Momentive Performance Materials (MPM) maintains an around-the-clock emergency service for its products. SDS are available at www.momentive.com or, upon request, from any MPM representative. For product storage and handling procedures to maintain the product quality within our stated specifications, please review Certificates of Analysis, which are available in the Order Center. Use of other materials in conjunction with MPM products (for example, primers) may require additional precautions. Please review and follow the safety information provided by the manufacturer of such other materials.

Limitations

Customers must evaluate Momentive Performance Materials products and make their own determination as to fitness of use in their particular applications.

DISCLAIMER:

THE MATERIALS, PRODUCTS AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS INC. AND ITS SUBSIDIARIES AND AFFILIATES (COLLECTIVELY "SUPPLIER"), ARE SOLD SUBJECT TO SUPPLIER'S STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SUPPLIER MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING ITS PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. EXCEPT AS PROVIDED IN SUPPLIER'S STANDARD CONDITIONS OF SALE, SUPPLIER AND ITS REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN. Each user bears full responsibility for making its own determination as to the suitability of Supplier's materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Supplier's products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Supplier's standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Supplier. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Supplier covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.